U.S. Department of Commerce Patent and Trademark Office Attorney's Docket No. FORM PTO-1390 TRANSMITTAL LETTER TO THE UNITED STATES 2577-139 DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. Application No. (1f known, see 37 CFR 1 5 **CONCERNING A FILING UNDER 35 U.S.C. 371** INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED August 1, 2000 PCT/SG00/00112 TITLE OF INVENTION ISOLATION AND CHARACTERIZATION OF A FIBER-SPECIFIC ACTIN PROMOTER FROM COTTON APPLICANT(S) FOR DO/EO/US Xuebao LI, Lin CAI, Ninghui CHENG and Jian-Wei LIU Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: [X] This is a FIRST submission of items concerning a filing under 35 U.S.C. 371 This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. The US has been elected by the expiration of 19 months from the priority date (Article 31). [X] A copy of the International Application as filed (35 U.S.C. 371(c)(2)) a. [X] is attached hereto (required only if not communicated by the International Bureau). has been communicated by the International Bureau.] is not required, as the application was filed in the United States Receiving Office (RO/US) [] An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). a. [] is attached hereto. b. [] has been previously submitted under 35 U.S.C. 154(d)(4). [X] Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) a. [] are attached hereto (required only if not communicated by the International Bureau). have been communicated by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. d. [X] have not been made and will not be made. [] An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). [X] An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. [] An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U S.C. 371(c)(5)). ITEMS 11. TO 20. below concern other document(s) or information included: 1.1. [X] An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. [X] An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. A **FIRST** preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. A substitute specification. 15. A change of power of attorney and/or address letter. A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825 A second copy of the published international application under 35 U.S.C. 154(d)(4). 18.] A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 19. Other items or information: 4 Drawing Sheets; Application Data Sheet; Sequence Listing (paper copy);

International Search Report

U.S. APPLICATION NO (15 known, s			ATTORNEY DOCKET NO 2577-139		
21. [X] The following fees are submitted Basic National Fee (37 CFR 1.492)(a)(1)-(5): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1 445(a)(2)) paid to USPTO and International Search Report Not Prepared by EPO or JPO			\$890.00	PTO USE ONLY	
•	EN	TER APPROPRIATE BAS	IC FEE AMOUNT =	\$ 890.00	
.Surcharge of \$130.00 for fur months from the earliest clar	mishing the oath or d med priority date (37)	eclaration later than [] 7 CFR 1.492(e)).	20 []30	\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	3 -20 =		X \$18.00	\$	
Independent Claims	3 - 3 =		X \$84.00	\$	
Multiple dependent claım(s) (if applicable)		+ \$280.00	\$	
	TOTAL OF ABOVE CALCULATIONS =				
Applicant claims small above are reduced by 1	\$				
SUBTOTAL =				\$ 890.00	
Processing fee of \$130.00 for months from the earliest cla	\$				
TOTAL NATIONAL FEE =				\$ 890.00	
Fee for recording the enclos accompanied by an appropr	ed assignment (37 C iate cover sheet (37 C	FR 1.21(h)). The assignm CFR 3.28, 3.31). \$40.00 p	ent must be er property +	\$ 40.00	
		TOTAL FE	ES ENCLOSED =	\$ 930.00	
				Amount to be refunded	\$
				charged	\$
a. X Checks in the amount of \$890.00 and \$40.00 to cover the above fees is enclosed. b. Please charge my Deposit Account No. 02-2135 in the amount of \$ to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. X The Commission	oner is hereby author count No. 02-2135. oriate time limit und	rized to charge any additio A duplicate copy of this sh ler 37 CFR 1.494 or 1.49	eet is enclosed. 5 has not been met, a		
SEND ALL CORRESPON		/	Mark Signature	gwell	_
Customer No. 6449			Mark I. Bowdite	:h	
Mark I. Bowditch Rothwell, Figg, Ernst & Manb 1425 K Street, N.W, Suite 800			Name 40,315		
Washington, D C 20005 Phone: 202/783-6040	Washington, D C 20005 Registration Number			per	

2577-139A 4IB:clw

5

uprts

ISOLATION AND CHARACTERIZATION OF A FIBER-SPECIFIC ACTIN PROMOTER FROM COTTON

Technical Field

The present invention relates to the field of plant molecular biology, in particular to transgenic plants and promoters useful in creating transgenic plants, and more particularly to fiber-specific promoters.

Background of the Invention

the textile industry. Annual production of cotton worldwide is over 100 million bales valued at 45 billion U.S. dollars. Although significant improvements have been made in quality and yield of the fibers by means of classical breeding in the past decades, the potential for further improving fiber properties through classical breeding is limited due to requirements for species compatibility and available traits. Genetic engineering provides novel approaches for further improving cotton by introducing genes to create new germplasms with highly desirable characteristics.

Cotton fibers (seed hairs) are single-cell trichomes that undergo rapid and synchronous elongation. Cortical microtubules provide spatial information necessary for the alignment of cellulose microfibrils that confine and regulate cell elongation [Giddings and Staehelin, 1991; 5 Cyr and Palevitz, 1995; Fisher and Cyr, 1995]. development consists of four overlapping stages (i.e. initiation, primary cell wall formation, secondary cell wall formation and maturation) [Basra and Malik, 1984]. Tubulins and actins may play functionally important roles 10 in developing fiber cells. Mature fiber is a biological composite of cellulose, water, small quantities of proteins, pectins, hemicellulose, mineral substances, wax, small amounts of organic acids, sugars, and pigments that provides excellent wearability and aesthetics [Arthur, 15 1990; Basra and Malik, 1984; Ryser, 1985]. Many genes are required for the fiber differentiation and development. These genes are differentially expressed during different stages of the fiber development, and so far only a few of 20 the genes involved in the biosynthesis of the large numbers of fiber-specific structural proteins, enzymes, polysaccharides, waxes or lignins have been identified [John and Crow, 1992; John, 1996a; Song and Allen, 1997; Ma et al., 1997; Kawai et al., 1998; Whittaker and Triplett, 1999]. These isolated genes may be considered 25 as having potential application in cotton fiber improvement due to the character of their fiber-specific expression. For example, John has been using fiber-specific gene promoters to produce genetically

engineering cotton for altered fibers [John, 1996b, 1997a, 1997b].

A promoter is a DNA fragment that determines temporal and spatial specificity of gene expression during plant and animal development. Many tissue-specific genes and their promoters have been identified and isolated from a wide variety of plants and animals over the past decade, including some cotton tissue-specific genes and promoters (Loguerico et al., 1999; Kawai et al., 1998; Song and Allen, 1997; Ma et al, 1997; John, 1996a; Rinehart et al., 1996; Hasenfratz et al, 1995; John and Peterson, 1994; John and Crow, 1992). A few promoters have been shown to control gene expression in a fiber-specific manner in cotton (Rinehart et al., 1996; John, 1996a; John and Crow, 1992). Some plant tissue-specific promoters can be utilized to express foreign proteins in specific tissues in a developmentally regulated pattern [John, 1996b, 1997a, 1997b].

Summary of the Invention

1

5

10

15

20

25

A fiber-specific gene (named CFACT1), encoding actin, was isolated from cotton. The isolated complete CFACT1 gene is 3.040 kb long, including a 0.816 kb promoter. The CFACT1 promoter fragment (0.8 kb) was fused with the GUS gene to construct gene expression vectors for analyzing the function of the promoter. Transgenic cotton and tobacco plants with the CFACT1 promoter/GUS fusion gene was identified by Southern blot hybridization. In all the transgenic cotton plants studied, GUS activity was detected only in young fibers, but not in the flower

organs such as anthers, petals and sepals, or in leaves and roots. This result, together with Northern blot analysis, indicates that the CFACT1 promoter is fiber-specific in cotton. The promoter controls specific gene expression at the transcriptional level in cotton fibers. The isolated promoter may be used in improving cotton fibers to create new cotton varieties with high fiber quality and yield by gene manipulation.

Brief Description of the Figures

10 Figure 1 shows the nucleotide sequence of the cotton CFACT1 gene cDNA (686 bp; SEQ ID NO: 1).

Figure 2 shows the nucleotide sequence of the cotton CFACT1 gene (3040 bp; SEQ ID NO: 2).

Figure 3 is a diagram of the structure of the isolated CFACT1 gene.

Figure 4 shows the construct of the CFACT1 promoter fused with the GUS gene in an expression vector.

Detailed Description

5

15

20

25

The CFACT1 promoter is an active fiber-specific promoter in cotton. Results of a Northern blot analysis of cDNAs from a variety of cotton tissues showed that a cDNA clone comprising the CFACT1 gene was strongly expressed in young fibers of 8 and 14 days postanthesis (DPAO, and also expressed in young ovules of 4, 8 and 14 DPA, but less or not at all in other tissues. Sequencing of the cDNA clone revealed that it was 686 bp in length (Figure 1). The full-length sequence, isolated from a genomic DNA library was found to be 3040 bp in length,

including a 0.8 kb promoter fragment, bases 1-816 of which represents the promoter (Figure 2). A comparison of the nucleotide and predicted polypeptide sequences of the cotton CFACT1 with the data banks revealed that the gene shared high homology at both the amino acid level and the nucleotide level with the known actin genes from some plants such as Malva pusilla (AF112538), soybean (U60499), and Brassica napus (AF11812), to name a few examples. CFACT1 gene only shared 71%-93% homology at the amino acid level and 80%-82% identities at the nucleotide level with a known cotton actin gene (AF059484). Moreover, its promoter is different from the promoters of known cotton and non-cotton actin genes, so it is a new actin gene isolated from cotton. Analyzing the CFACT1 gene sequence revealed that it contains four exons and three introns in its open reading frame (Figure 3). This gene structure is typical of all complete actin genes analyzed so far [Shah et al., 1983; Baird and Meagher, 1987; Nairn et al., 1988; Stranathan et al, 1989; McElroy et al, 1990; Cox et al., 1995; An et al., 1996].

5

10

15

20

25

The transcripts of the CFACT1 gene exhibited the highest accumulation (as evidenced by Northern blot analysis) in cotton young fibers of 8 DPA, and then there was a visible decrease in the accumulation of the gene products (mRNA) with further development of the fibers. Comparison of gene expression in different developmental stages of cotton ovules also showed that the gene transcripts accumulated more in 8 DPA ovules than in 4 and 14 DPA, and there was a gradual and visible decrease to an

undetectable level in the accumulation of gene products with fiber development from 8 DPA to 28 DPA. This suggests that the gene is specifically expressed with a strict regulation at the transcriptional level during cotton fiber and ovule development, as with other cotton fiber-specific genes [Whittaker and Triplett, 1999; Shin and Brown, 1999; Kawai et al., 1998; John, 1996a; Song and Allen, 1997; Ma et al, 1997; Rinehart et al., 1996; John and Crow, 1992].

5

10

15

20

25

The promoter of the CFACT1 gene is 0.8 kb in length, and functions as an active, fiber-specific promoter. A CFACT1 promoter/GUS fusion gene construct was used to transform tobacco and cotton by Agrobacterium-mediated gene transfer, using the pBI121 vector containing a CaMV35S promoter/GUS fusion as a positive control. Consistent with the results from Northern blot analysis, the GUS gene driven by the CFACT1 promoter specifically expressed in the young fibers, but not in other tissues, in all the transgenic cotton plants studied, while the GUS activity was detected in all the tissues of positive control cotton plants (35S:GUS). A total of 230 transformed cotton plants were obtained and transplanted in soil to grow to maturation. Similarly, it was found that under the CFACT1 promoter, GUS gene activity was only detected in the seeds and pulps in the more than 20 transgenic tobacco plants studied, suggesting the CFACT1 promoter activity was also tissue-specific in tobacco (the cotton fiber, being an elongated hair of the seed coat, finds histological correspondence in the tobacco seed

coat). This result, together with the above Northern blot analysis, indicates that the CFACT1 promoter controls gene specific expression at the transcriptional level in cotton fibers.

Accordingly, one embodiment of the present invention is a promoter that is cotton fiber-specific obtained from the cotton fiber actin gene CFACT1.

5

10.

15

20

25

Another embodiment of the present invention is a promoter that is cotton fiber-specific comprising the 0.8 kb promoter fragment of the cotton fiber CFACT1 gene, having the sequence of nucleotides 1 through 816 of SEQ ID NO: 2.

Still another embodiment of the present invention is a promoter that is cotton fiber-specific comprising an active fragment of the CFACT1 promoter (nucleic acids 1-816 of SEQ ID NO: 2). An active fragment is a sequence of shorter length than the sequence of nucleic acids 1-816 of SEQ ID NO: 2 which still retains activity as a fiber-specific promoter in cotton. A fragment can comprise excisions, deletions, truncations or substitutions of the sequence of nucleotides 1-816 of SEQ ID NO: 2, or a combination of these.

CFACT1 is strongly expressed in cotton fiber, indicating a direct role in fiber formation and development. Actin is well known in many plants as being involved in cytoskeleton formation and cell expansion. It was based on this idea that genes associated with cytoskeleton formation and cell expansion we sought in the present work. After sequencing, it was decided to follow

the CFACT1 as it was an actin gene. Although no any work to demonstrate the function of CFACT1 in transgenic cotton by either over-expression or under-expression has been done, it can be speculated that the CFACT1 is involved in cotton fiber development, as it has a very strong fiber-specific promoter [Delmer, et al., 1995].

5

10

15

2.0

25

The promoters of the present invention are useful in creating transgenic cotton having altered fiber characteristics. The use of the fiber-specific promoters of the present invention permits selective expression of a transgene in the cotton fiber, permitting greater latitude in the types of transgenes employed. Selective expression avoids problems such as the metabolic burden imposed on a transgenic plant by systemic expression of a transgene, or the adverse effects of the expression of a transgene in non-fiber tissues. Examples of expression of desirable genes in cotton fiber, but not in other parts of the cotton plants include: (1) anthocynin genes for colored cotton, (2) silk protein genes from silk worm or spiders for increased strength of cotton fiber, (3) and biosynthesis of polyhydroxybutrate in cotton fiber for improved thermal properties and insulating characteristics [John, et al., 1996]. There are numerous examples in the art of fiber-enhancing genes that could be advantageously linked to the promoters of the present invention, and used to transform cotton using well-known techniques (see, e.g., Umbeck, 1992), to achieve expression of the transgene in transgenic cotton fibers. See e.g., John, 1996b, 1997a, 1997b; John et al., 1996.

EXAMPLE 1: Isolation of fiber-specific cDNA encoding CFACT1 sequences.

5

10

15

20

25

Total RNA was extracted from young fibers, ovaries, anthers, petals, sepals, leaves and roots of cotton by using the guanidinium thiocyanate method or SV Total RNA Isolation System (Promega). Poly(A)+RNA was purified by using oligo(dT)-cellulose spin columns from an mRNA purification kit (Pharmacia Biotech). Cotton cDNA was synthesized by using a cDNA synthesis kit (Pharmacia Biotech). Cotton cDNA libraries were constructed by inserting the cDNA fragments into the ZAP express vector (Stratagene).

Poly(A) + RNAs from cotton young fibers of about 8 and 14 days postanthesis (DPA), respectively, were converted to cDNAs which were used to construct cotton cDNA libraries. From the fiber cDNA libraries, about 200 cDNA clones were randomly picked out and subsequently sequenced. Some clones with potential involvement in cell expansion were selected according to the sequence data.

To find cDNA clones whose transcripts are specifically expressed in cotton fibers, the expression pattern of the selected cDNA clones was analyzed by

SANGER CONTRACTOR

5

10

15

20

25

Northern blot hybridization with total RNAs isolated from cotton fibers, ovules, anthers, petals, sepals, squares, leaves and roots, using probes from the clones. RNA samples from the different cotton tissues were separated on agarose-formaldehyde gels, and transferred onto Hybond-N nylon membranes by capillary blotting. RNA Northern blots were hybridized in ExpressHyb solution (Clontech) at 68°C with ³²P cDNA probes prepared by random labeling (Promega Prime-a-Gene Labeling System). After hybridization, the blots were washed at 68°C in 0.1 x SSC, 0.5% SDS for 30-60 minutes. The experimental results showed that one cDNA clone strongly expressed in young fibers of 8 and 14 DPA, and also expressed in young ovules of 4, 8 and 14 DPA, but less or not at all in other tissues.

PCR fragments and cDNA fragments were subcloned into vectors, and plasmid DNA prepared with a Qiagen plasmid kit was used as templates in PCR reactions. The PCR products were sequenced by autosequencer. One clone was found to be a 686 bp CFACT1 cDNA fragment (Figure 1) encoding a part of the actin polypeptide. Northern blot hybridization revealed the CFACT1 cDNA transcripts accumulated largely in young fibers of 8 and 14 DPA, and also accumulated more or less in young ovules of 4, 8, 14 and 21 DPA. But, these transcripts were neither detected in RNA from ovules of 28 DPA, nor in those from anthers, petals, sepals, leaves and roots (Figure 4). This result suggests the CFACT1 cDNA expression is fiber-specific in cotton. Comparison of the CFACT1 cDNA sequence with that of a known cotton actin cDNA from the data banks (D88414), which is only 1.079 kb in length and not a complete actin cDNA, showed that both cDNAs share a high level of homology (97% identities in amino acid level and 96% identities in nucleic acid level).

5

10

15

20

25

Total RNAs from different tissues of cotton were used to reverse-transcribe first-strand cDNAs which were used as templates in differential display PCR reactions. Differential display analysis was carried out by using a differential display kit (Clontech). First-strand cDNA was synthesized with 2 pg total RNA as starting materials of reverse transcription and oligo(dT) as primers at $42\,^{\circ}C$ for 1 hour. Differential display PCR reactions were carried out with a initial cycle consisting of 94°C for 5 minutes, 40°C for 5 minutes and 68°C for 5 minutes, followed by two cycles consisting of 94°C for 2 minutes and 40°C for 5 minutes and 68°C for 5 minutes, and then 25 cycles consisting of 94°C for 1 minute and 60°C for 1 minute and 68°C for 2 minutes, and a final extension at 68°C for 7 minutes. Target differential display bands were excised and reamplified for further analysis. Reproducible fiber-specific differential display products were targeted for further analysis. The cDNA in each target band was harvested and regenerated by PCR amplification. The isolated cDNA was subsequently subcloned into vectors and sequenced.

The Northern blot analysis showed that the transcripts of the CFACT1 gene exhibited their highest accumulation in cotton young fibers of 8 DPA, and then

there was a visible decrease in the accumulation of the gene products (mRNA) with further development of the fibers. Comparison of gene expression in different developmental stages of cotton ovules also showed that the gene transcripts accumulated more in 8 DPA ovules than in 4 and 14 DPA, and there was a gradual and visible decrease to an undetectable level in the accumulation of gene products with fiber development from 8 DPA to 28 DPA. This suggests that the gene is specifically expressed with a strict regulation at the transcriptional level during cotton fiber and ovule development, as is seen with other cotton fiber-specific genes [Whittaker and Triplett, 1999; Shin and Brown, 1999; Kawai et al., 1998; John, 1996a; Song and Allen, 1997; Ma et al, 1997; Rinehart et al., 1996; John and Crow, 1992].

5

10

15 .

20

25

Example 2: Isolation and structural analysis of the CFACT1 gene

Total DNA was extracted and purified from leaves of cotton plants by using the following method. Liquid N_2 was added to 4 g of leaf tissues, and the leaves were homogenized thoroughly. 20 ml ice-cold extraction buffer (63 g/L glucose, 0.1 M Tris.HCl (pH 8.0), 5mM EDTA, 20 g/L PVP-40, 1 g/L DIECA, 1 g/L ascorbic acid, 2ml/L beta-mercaptoethanol) was added to the homogenized tissues in a 50 ml tube and centrifuged at 2500 rpm for 15 minutes. After removing the supernatant, 10 ml lysis buffer was added to each tube. The resuspended pellets were incubated at 65°C for 30 minutes. 10 ml chloroform was

added to each tube, mixed with the samples and centrifuged at 3500 rpm for 10 minutes. The supernatant was transferred to a clean tube, and chloroform extraction was repeated one more time. The supernatant was transferred to a clean tube, and 0.6 volume isopropanol was added to each tube for DNA precipitation. After centrifuging at 3500 rpm for 30 minutes, the DNA was washed with 70% ethanol. The isolated genomic DNA was then dissolved in sterile water or TE (10 mM Tris.HCl, 1 mM EDTA) for use.

5

10

15

20

25

Cotton genomic DNA libraries were constructed from leaves of cotton plants. DNA was partially digested with BamH I, and the DNA fragments were cloned in the BamH I site of the ZAP expression vector (Stratagene).

Genome Walker libraries were constructed by using Universal Genome Walker kit (Clontech). Genomic DNA from leaves of cotton plants was digested with five restriction enzymes respectively, and then purified by phenol/chloroform and precipitated by ethanol. Digested DNA was ligated to Genome Walker adaptors. Two rounds of Genome Walker PCR reactions were carried out successively. 1 µl of each Genome Walker DNA library was used as templates in the primary PCR, and the primary PCR products were used as templates in secondary PCR. The PCR was started at 95°C for 1 minute, followed by 35 cycles consisting of 95°C for 15 seconds and 68°C for 4 minutes, and a final extension at 68°C for 6 minutes. Target PCR bands were cut out and purified by Geneclean kit (Bio 101).

Transposition by Johnson

5

10

15

20

25

Two overlapping fragments, which covered the full length of the CFACT1 gene, were isolated by the Genome Walker approach and completely sequenced. The complete CFACT1 gene was 3040 bp in length, including a 0.8 kb promoter (Figure 2). Comparing the nucleotide and predicted polypeptide sequences of the cotton CFACT1 gene with the data banks, it was found that the gene shared high homology at both the amino acid level and the nucleotide level with the known actin genes from plants such as Malva pusilla (AF112538), soybean (U60499), Brassica napus (AF11812), to name a few examples. The CFACT1 gene only shared 71%-93% homology at the amino acid level and 80%-82% identities at the nucleotide level with a known cotton actin gene (AF059484). Moreover, its promoter is different from the promoters of known cotton and non-cotton actin genes, so it is a new actin gene isolated from cotton. Analyzing the CFACT1 gene sequence revealed that it contains four exons and three introns in its open reading frame (Figure 3). This gene structure is typical of all complete actin genes analyzed so far [Shah et al., 1983; Baird and Meagher, 1987; Nairn et al., 1988; Stranathan et al, 1989; McElroy et al, 1990; Cox et al., 1995; An et al.,1996].

Example 3: Functional analysis of the CFACT1 promoter

To characterize the function of CFACT1 promoter, the

0.8 kb CFACT1 promoter was linked to the GUS gene in

pBI101, to construct gene expression vector (Figure 4).

Cotton and tobacco were transformed by Agrobacterium

tumefaciens containing the CFACT1 promoter/GUS fusion gene, using the pBI121 vector containing a CaMV35S promoter/GUS fusion as a positive control. The CaMV35S promoter is active in all the tissues of cotton and other plants and is a constitutive promoter [Odell et al., 1985; Ow et al., 1987; McCabe and Martinell, 1993]. A binary vector containing either the CFACT1 promoter/GUS fusion gene or the CaMV35S promoter/GUS fusion control was transferred into Agrobacterium tumefaciens strain LBA 4404. Cotton explants for transformation were obtained from cotton seedlings grown as in Example 1. explant material was obtained from tobacco seedlings. Tobacco seeds were surface-sterilized with 70% ethanol for 30-60 seconds and 0.1% $HgCl_2$ for 15 minutes, followed by washing with sterile water. The seeds were germinated on ⅓ MS medium on light at 28°C in culture room, and leaves cut from sterile seedlings for use as explants for transformation. Cotton cotyledon and hypocotyl explants and tobacco leaf explants were transformed by the Agrobacterium with the vectors and transformed plants were transplanted to soil in greenhouse for growing to maturity.

5

10

15

20

25

Tobacco leaves were cut into about 2x2 cm pieces, and immersed in Agrobacterium suspension for 5 minutes. The infected tobacco explants were cultivated on MS medium with 1 mg/L 6-BA for 48 hours at 28°C, and then transferred onto selection MS medium containing 100 mg/L kanaymcin and 1 mg/L 6-BA for 20-30 days for selecting transformed shoots (kanamycin-resistant shoots). The

transformed shoots were cut from the calli and rooted on MS medium with 50-100 mg/L kanamycin. The transformed tobacco plants were transplanted to soil in greenhouse for growing to maturity.

5

10

15

20

25

The cotyledon and hypocotyl were used as explants for cotton transformation. Cotton seeds were surfacesterilized with 70% ethanol for 30 seconds and 10% H2O for 60 minutes, followed by washing with sterile water. seeds were incubated in the sterile water at 28°C. seeds sprouted overnight. The embryos were taken out and put on the IM medium (1/2 (MS (macronutrients, micronutrients, EDTA-Fe) + VB1 10 mg/L + VB6 1 mg/L + VPP 1 mg/L + Myo-Insitol 100 mg/L) + phytogel 2 g/L pH = 6.4)at 28°C for 7 days. The cotyledon and hypocotyl of cotton were used as explants for transformation. After cutting into 5 mm² (mm) piece, the explants were soaked in the Agrobacterium tumefaciens strain LBA 4404 suspension (OD600 = 0.2 - 0.4) for 15 minutes. Then the explants were put on CM medium (MS macronutrients, micronutrients, EDTA-Fe) + VB1 10 mg/L + VB6 1 mg/L + VPP 1 mg/L + Myo-Insitol 100 mg/L + 2.4-D = 0.1 mg/L + KT = 0.1 mg/L + Glucose = 30 g/L + $MgCl_2$ 0.7 mg/L + phytogel 2 g/L pH = 6.4) at 24°C for 2 days. After washing with liquid MS medium, the explants were put on the SM medium (MS (macronutrients, micronutrients, EDTA-Fe) + VB1 10 mg/L + VB6 1 mg/L + VPP 1 mg/L + Myo-Insitol 100 mg/L + 2.4-D 0.1 mg/L + KT 0.1 mg/L + Glucose 30 g/L + MgCl₂ 0.7 mg/L + phytogen 2 g/L +Kanamycin 50 mg/L + Cefutoxime 200 mg/L pH = 6.4) on light at 28°C in culture room for selecting and the subculture

was per month. After 2-3 months subculturing on SM, the calli were induced from explants. The calli were transferred on DM medium (MS (macronutrients, micronutrients, EDTA-Fe) + VB1 10 mg/L + VB6 1 mg/L + VPP 1 mg/L + Myo-Insitol 100 mg/L + KNO₃ 19 g/L + MgCL₂ 0.7 mg/L Glucose 30 g/L phytogel 3 g/L pH = 6.4) and subcultured per month. After about 5 months, the somatic embryos began to form. Continuing to culture the young embryos on DM medium until they develop into maturity. The mature embryos were transferred on GM medium (1/2) (MS (macronutrients, micronutrients, EDTA-Fe) + VB1 10 mg/L + VB6 1 mg/L + VPP 1 mg/L + Myo-Insitol 100 mg/L) + NAA 0.01 mg/L + Glucose 30 g/L + phytogel 3.5 g/L pH = 6.4) in thebox for developing into plantlets. And then the plantlets were transplanted in the soil for the plant growing and collecting the transgenic seeds.

5

10

15

20

25

Transgenic tobacco and cotton plants possessing the chimeric CFACT1 promoter/GUS gene (or 35S:GUS gene), and non-transformed plants as negative controls, were analyzed by DNA Southern blot hybridization and by GUS histochemical assay. Total genomic DNA from cotton and tobacco leaves were digested with restriction enzymes, separated on agarose gels, and transferred onto Hybond-N nylon membranes by capillary blotting. DNA Southern blots were hybridized in ExpressHyb solution (Clontech) at 68°C with ³²P-DNA probes prepared by random labeling (Promega Prime-a-Gene Labeling System). After hybridization, the blots were washed at 68°C in 0.1 x SSC, 0.5% SDS for 30-60 minutes. The ³²P-labeled nylon membranes were exposed to

X-ray film at - 70°C for autoradiography. Southern blot analysis demonstrated that the CFACT1 promoter/GUS fusion gene was integrated into cotton and tobacco genomes.

5

10

15

20

25

Histochemical assays for GUS activity in transgenic tobacco and cotton plants were conducted according to the protocol described previously by Jefferson et al. (1987) with some modifications. Fresh tissues from the plants were incubated in X-gluc (5-bromo-4-chloro-3-indolylglucuronide) solution consisting of 0.1 M sodium phosphate (pH 7.0), 10 mM ethylene diaminetetraacetic acid (EDTA), 0.5 mM potassium ferrocyanide and 0.5 mM potassium ferricyanide, and 0.1 % X-qluc (Clontech Chemical) overnight. The stained plant materials were then cleared and fixed by rinsing with 100% and 70% ethanol successively, and the samples were examined and photographed directly or under a microscope. A total of 230 transformed cotton plants, which belong to 21 transformed lines, were obtained and transplanted in soil to grow to maturity. In all the transgenic cotton plants studied, GUS activity was detected only in young fibers, but not in the flower organs such as anthers, petals and sepals, or in leaves and roots. In comparison, plants transformed with the positive control pBI121

(35S:GUS) exhibited strong GUS activity in all the tissues, and the non-transformed plants showed no GUS activity in fibers as well as other tissues when stained in X-gluc solution under the same condition as transgenic plant tissues. In more than 20 transgenic tobacco plants studied, the GUS gene driven by CFACT1 promoter expressed

only in seeds and pulps, suggesting that the CFACT1 promoter is also tissue-specific in tobacco. These results indicate that the CFACT1 promoter directs gene specific expression at the transcriptional level in cotton fibers.

References

15

20

- An YQ, Huang S, McDowell JM, 1996. Conserved expression of the <u>Arabidopsis</u> ACT1 and ACT3 actin subclass in organ primordia and mature pollen. Plant Cell, 8(1):15-30.
- Arthur JC, 1990. In Polymers: Fibers and Textile, A
 Compendium, ed. Kroschwitz, JI. (Wiley, New York),
 pp. 118-141.
 - Baird WV and Meagher RB, 1987. A complex gene superfamily encodes actin in petunia. EMBO J., 6(11):3223-31.
- 10 Basra AS and Malik CP, 1984. Development of the cotton fiber. Int. Rev. Cytol. 89:65-113.
 - Chu B, Wilson TJ, McCune-Zierath C, Snustad DP, Carter JV., 1998. Two beta-tubulin genes, TUB1 and TUB8, of Arabidopsis exhibit largely nonoverlapping patterns of expression. Plant Mol. Biol., 37(5):785-90.
 - Cox GM, Rude TH, Dykstra CC, 1995. The actin gene from <u>Cryptococcus neoformans</u>: structure and phylogenetic analysis. J. Med. Vet. Mycol.., 33(4):261-6.
 - Cyr RJ and Palevitz BA, 1995. Organization of cortical microtubules in plant cells. Curr. Opin. Cell Biol., 7:65-71.
 - Delmer DP, Pear JR, Andrawis A., Stalker DM, 1995. Genes encoding small GTP-binding proteins analogous to mammalian rac are preferentially expressed in developing cotton fibers. Mol. Gen Genet 248(1):43-51.
 - Fisher DD and Cyr RJ, 1998. Extending the microtubule/microfibril paradigm. Plant Physiol., 116:1043-51.

- Giddings TH and Staehelin LA, 1991. Microtubule-mediated control of microfibril deposition: a re-examination of the hypothesis. In CW Lloyd, ed., The Cytoskeletal Basis of Plant Growth and Form. Academic Press, London, pp. 85-99.
- Hasenfratz MP, Tsou CL, Wilkins TA, 1995. Expression of two related vacuolar H(+)-ATPase 16-kilodalton proteolipid genes is differentially regulated in a tissue-specific manner. Plant Physiol., 108(4): 1395-404.

5

10

- Jefferson RA, 1987. Assaying chimeric genes in plants: the GUS gene fusion system. Plant Mol. Biol. Rep., 5:387-405.
- Jefferson RA, Kavanagh TA, Bevan MW, 1987. GUS fusion:
 p-glucuronidase as a sensitive and versatile gene
 fusion marker in higher plants. EMBO J., 6:3901
- John ME and Crow LJ, 1992. Gene expression in cotton fiber: cloning of the mRNAs. Proc. Natl. Acad. Sci. USA, 89(13):5769-73.
- John ME and Peterson MW, 1994. Cotton pollen-specific polygalacturonase mRNA: tissue and temporal specificity of its promoter in transgenic tobacco. Plant Mol. Biol., 26(6):1989-93.
- John ME, 1996a. Structural characterization of genes corresponding to cotton fiber mRNA, E6: reduced E6 protein in transgenic plants by antisense gene.

 Plant Mol. Biol., 30(2):297-306.
 - John, ME, 1996b. Genetically engineering cotton plants for altered fiber, U.S. Patent No. 5,495,070.

- John, ME and Keller, G, 1996. Metabolic pathway engineering in cotton: Biosynthesis of polyhydroxybutrate in fiber cells. Proc. Natl. Acad. Sci. USA 93, 12768-12773).
- John, ME, 1997a. Transgenic cotton plants producing heterologous polyhydroxy(e) butyrate bioplastic, U.S. Patent No. 5,602,321.
- John, ME, 1997b. Genetically engineering cotton plants for altered fiber, U.S. Patent No. 5,620,882 (1997).
- 10 Kang MS, Choi YJ, Kim MC, Lim CO, Hwang I, Cho MJ., 1994.
 Isolation and characterization of two beta-tubulin
 cDNA clones from rice. Plant Mol. Biol., 26(6):
 1975-9.

5

15

20

- Kawai M, Aotsuka S, Uchimiya H, 1998. Isolation of a cotton CAP gene: a homologue of adenylyl cyclase-associated protein highly expressed during fiber elongation. Plant Cell Physiol., 39(12):1380-3.
- Liaud MF, Brinkmann H, Cerff R., 1992. The beta-tubulin gene family of pea: primary structures, genomic organization and intron-dependent evolution of genes. Plant Mol. Biol., 18(4):639-51.
- Loguerico LL, Zhang JQ, Wilkins TA, 1999. Differential regulation of six novel MYB-domain genes def two distinct expression patterns in allotetraploid cotton. Mol. Gen. Genet., 261(4/5):660-71.
- Ma DP, Liu HC, Tan H, Creech RG, Jenkins JN, Chang YF, 1997. Cloning and characterization of a cotton lipid transfer protein gene specifically expressed in fiber cells. Biochim. Biophys. Acta, 1344(2): 111-4.

- McCabe DE and Martinell BJ, 1993. Transformation of elite cotton cultivars via particle bombardment of meristems. Biotechnology, 11:596-8.
- McElroy D, Rothenberg M, Reece KS, Wu R, 1990.

 Characterization of the rice actin gene family. Plant
 Mol. Biol., 15(2):257-68.
- Nairn CJ, Winesett L, Ferl RJ, 1988. Nucleotide sequence of an actin gene from <u>Arabidopsis thaliana</u>. Gene, 65(2):247-57.
- Odell JT, Nagy F, Chua N-H, 1985. Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. Nature, 313:810-2.
 - Okamura S, Naito K, Sonehara S, Ohkawa H, Kuramori S, Tatsuta M, Minamizono M, Kataoka T., 1997.

 Characterization of the carrot beta-tubulin gene

Funct., 22(2):291-8.

5

15

20

25

Okamura S, Okahara K, Iida T, Ozaki M, Asano S, Morita M, Imanaka T, 1999. Isotype-specific changes in the amount of beta-tubulin RNA in synchronized tobacco BY2 cells. Cell Struct. Funct., 24(3): 117-22.

coding a divergent isotype, beta-2. Cell Struct.

- Ow DW, Jacobs JD, Howell SH, 1987. Functional regions of the cauliflower mosaic virus 35S RNA promoter determined by use of the firefly luciferase gene as a reporter of promoter activity. Proc. Natl. Acad. Sci. USA, 84:4870-4.
- Rinehart JA, Peterson MW, John ME, 1996. Tissue-specific and developmental regulation of cotton gene FbL2A.

- Demonstration of promoter activity in transgenic plants. Plant Physiol., 112(3):1331-41.
- Ryser U, 1985. Cell wall biosynthesis in differentiating cotton fibers. Eur. J. Cell Biol., 39:236-56.
- 5 Shah DM, Highrower RC, Meagher RB, 1983. Genes encoding actin in higher plants: intron positions are highly conserved but the coding sequences are not. J. Mol. Appl. Genet., 2(1): 111-26.
 - Shin H and Brown RM jr, 1999. GTPase activity and biochemical characterization of a recombinant cotton fiber annexin. Plant Physiol., 119(3):925-34.

10

15

- Song P and Allen RD, 1997. Identification of a cotton fiber-specific acyl carrier protein cDNA by differential display. Biochim. Biophys. Acta, 1351(1):305-12.
- Snustad DP, Haas NA, Kopczak SD, Silflow CD., 1992. The small genome of <u>Arabidopsis</u> contains at least nine expressed beta-tubulin genes. Plant Cell, 4(5):549-56.
- 20 Stranathan M, Hastings C, Trinh H, 1989. Molecular evolution of two actin genes from carrot. Plant Mol. Biol., 13(4):375-83.
 - Taylor MA, Wright F, Davies HV., 1994. Characterization of the cDNA clones of two beta-tubulín genes and their expression in the potato plant (Solanum tuberosum L.). Plant Mol. Biol., 26(3):1013-18.
 - Tonoike H, Han IS, Jongewaard I, Doyle M, Guiltinan M, Fosket DE, 1994. Hypocotyl expression and light

downregulation of the soybean tubulin gene, tubB1. Plant J., 5(3):343-51.

- Umbeck, Paul, 1992. Genetic engineering of cotton plants and lines, U.S. Patent No. 5,159,135.
- Villemur R, Haas NA, Joyce CM, Snustad DP, Silflow CD, 1994. Characterization of four new beta-tubulin genes and their expression during male flower development in maize (Zea mays L.). Plant Mol. Biol., 24(2):295-315.
- Whittaker DJ and Triplett BA, 1999. Gene-specific changes in alpha-tubulin transcript accumulation in developing cotton fibers. Plant Physiol., 121(1):181-8.

We claim:

5

- A promoter that is cotton fiber-specific, comprising the promoter of the cotton actin gene CFACT1.
- 2. A promoter that is cotton fiber-specific, comprising a 0.8 kb fragment of the promoter of the cotton actin gene CFACT1 having the sequence nucleotides 1 through 816 of SEQ ID NO: 2.
- 3. A promoter that is cotton fiber-specific, comprising an active fragment of the promoter of the cotton actin gene CFACT1 having the sequence nucleotides 1 through 816 of SEQ ID NO: 2.

ABSTRACT

The present invention relates to the cotton actin gene CFACT1, and the fiber-specific promoter thereof. These promoters show strong fiber-specific activity.

5 2577-139.APN

ACTATAGGGCACGCGTGGTCGACGGCCCGGGCTGGTCCTCTAAAGAACAATTGTGTCAAGTCGTTCTTGCCGAGCA AATCCGAATAGGAGCTTAGAGTAACATCTAACAGACGGACTGCTCCAGCATTAACTGTTTGGTGAAAATGTTAAT GGTAGTGCTATGTCGAAGTATTTTCATGGAAGGTGTTAAGAATTAATGTTATTGGGATTACTAATTTTCTAGTATTAA AAAAAGATAATAAATTCTTAAATATATAAATTTTTTAAAATAGCTTTTCAGTAAATCTGTCAAACAATAGAAAATA TTTTTTGCAGGTTCATCCAAACACCAGAAAAGTAAATCATTTTCAGAAAAGTAAATCATTTTTCAGAAATTATTTTT CGGAAATTATTTTACTGGCAAACAAATGGAGTCTAAGTGTTTCTGTTTTTATTTTTTATTTTTCTATTTAGAGAAACT AGAAATTGATTTGTCAAATGTCTTTAATCTAGCTTGTTTAGATTAGATTGAAGGGCACAGAACCCGCGTTGTCAAGT GATTTTGCTGTACTCACTACCTAGATTCTTATTTTCAGTATTGTAAAAGATGGCCGACGGTGAGGCTATTCAACCCC AGACTTGGACAAGGATAAAATCTGTTTAAGTGGGCTTAGCTCAGGCTTCTACATTCAAAGCCTGAATGCAGCTCAG **AATGGTAAGGCATATTGCACTCAAGAGAGGAGACATAGATTTAGACCTTGGAAACGACATTGTTGGGAAAGGTAT** ATACTATIGGTAGATITGGGTAAAATATGAGATCATATTATGGACTAAGCCGAGCTTGGGCACATAAGAATTATGA TGATATCATACACAAACCTGGCCGGTCTATGAACACTTCTAGACCTGAGTCATAATCTCGGTTATTGTTTATTTCTT TATGAAAAGTAACTTATGGTTAAGCTAATTTTGTCTGTAATGTAGGCCGGTTTTGCTGGTGATGATGCTCCAAGGG CAGTTTTTCCCAGTATCGTTGGTCGTCCCCGGCACACTGGTGTTATGGTTGGGATGGGTCAGAAGGATGCCTATGT AGGAGATGAAGCACAATCTAAAGGAGGTATCCTTACTTTGAAATATCCTATTGAGCATGGTATTGTGAGCAATTGG GATGATATGGAAAAGATCTGGCATCATACATTCTACAACGAACTCCGTGTTGTTCCTGAGGAGCTCCCTGTGCTAC TCACGGAAGCACCTCTCAACCCCAAGGCCAATAGAGAAAAGAAGACTCAGATCATGTTTGAGACCTTCAATGTAC CTGCTATGTATGTTGCCATCCAGGCCGTTCTCTCTCTGTATGCCAGTGGTCGTACAACAGGTTTGTTAGACTTGAAA CTTCTATGAGCTTTTCTCATTTTAATGATATTTTCGAATCATGTTGACACTGGATTATCCCTCTATTGGAACAGGTAT TGTGCTGGATTCCGGTGATGGTGTTTCTCACATCGTGCCAATCTATGAAGGATATGCCCTTCCACATGCCATCCTCC GTCTTGACCTTGCAGGTCGTGATCTAACCGATGCCTTGATGAAGATTCTTACCGAGAGAGGGTTACATGTTCACCAC GGAGACTGCCAAGAGCAGCTCATCTGTTGAGAAGAACTATGAGTTGCCTGACGGACAAGTTATTACTATTGAAGC TGAGAGATTCCGTTGCCCGGAAGTCCTCTTCCAGCCATCTTTCATCGGGATGGAAGCTGCTGGAATCCATGAAACT CAACCATGTTCCCCGGTATTGCAGACCGCATGAGCAAGGAGATCACTGCACTTGCTCCAAGCAGCATGAAGATTA ATTGCTTTTGATGGTGATCTACATTTTGCATTTTAGTTGGCTCTTTTTTTGGCGTGCCGTGTCAAGTGAACTCAAAAGT $\tt CTGGTTTATGTGCGGGAAGTTAGGGATCATTGTAGGATGGTGTACCTGATATTGACGTATTATTTTTAGCCTTTC$ TACAATCCATCTTTGAACCATGCTGCTTAAAAGGATGTTTGGAGCGGGAGACTGGATTGTGGTGCTTTTATTTTTTT ATTTATTTAATATTCAAGGGTTTTGAGAACATTAATGTTAATAGCTATTATTGTACGAGATTT

CFACT1 gene of cotton




Fig. 3

pBIACT4 vector

gus gene CFACT1 promoter

Fig. 4

The production of the state of

	Attorney Docket No.	2577-139
DECLARATION AND POWER OF	First Named Inventor	Xuebao LI et al.
ATTORNEY FOR UTILITY OR DESIGN PATENT APPLICATION	COMPLETE IF KNOWN	
(37 CFR 1:63)	Application Number	
	Filing Date	
Submitted Submitted with Initial after Initial	Group Art Unit	
Filing Filing	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: ISOLATION AND CHARACTERIZATION OF A FIBER-SPECIFIC ACTIN PROMOTER FROM COTTON (filed as International Application No. PCT/SG00/00112 on August 1, 2000), the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Numbers	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Ce YES	opy Attached? NO
hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.					
Application Number(s)			Filing Date (M	MM/DD/YYYY	()

I or we hereby appoint the registered practitioner(s) associated with Customer No. **6449** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Direct all correspondence to Customer Number **6449**.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

	[] A petition h		-ii		
NAME OF SOLE OR FIRST INVENTOR:	has been filed for this unsigned inventor				
Given Name <u>Xuebao</u> (first and middle [if any])		Family Name LI or Surname			
Residence: City Naufar State		Date 12-04-2002			
Residence: City	State	Country Singapore	Citizenship China		
Mailing Address West Coast Crescent, #04-	04, Westbay Condomini	um, <u>Singapore 1</u> 28035	3GX		
Mailing Address		-			
City	State	Zip	Country Singapore		
NAME OF SECOND INVENTOR:	[] A petition ha	as been filed for this uns	signed inventor		
Given Name_ <u>Lin</u>		Family Name_CAI or Surname			
Inventor's Signature Cai L	in	Date 16 - 04 -	2002		
Panidanas: City	State	Country Singapore	Citizenship China		
Block 715, #07-79, CLEM Mailing Address Block 315, #03-137, Clem	enti Avenue 4, Singapor	e 120315 SGX	j. Lin		
Mailing Address					
City	State	Zip	Country Singapore		
NAME OF THIRD INVENTOR:	NAME OF THIRD INVENTOR: [] A petition has been filed for this unsigned inventor				
Given Name Ninghui (first and middle [if any])		Family Name CHEN or Surname	G		
Inventor's Signature		Date			
Residence: City Ardmore	State Oklahoma	Country U.S.A.	Citizenship China		
Mailing Address 217 B Street, S.W., Ardmo	ore, Oklahoma 73401				
Mailing Address			<u> </u>		
City Ardmore	State Oklahoma	Zip 73401	Country U.S.A.		
NAME OF FOURTH INVENTOR:	[] A petition	has been filed for this u	nsigned inventor		
Given Name Jian-Wei (first and middle [if any])	Family Name LIU or Surname				
Inventor's Signature		Date			
Residence: City	State	Country Singapore	Citizenship Singapore		
Mailing Address 8 Toh Yi Drive, #03-299,	Singapore 590008				
Mailing Address					
City	State	Zip	Country Singapore		

			Attorne	y Docket No.	2577-139		
DECLARATION A	ID POWER OF		First Na Invento		χμebao LI et a	ıl.	
ATTORNEY FOR UT		DESIGN		COMPLET	E IF KNOWN		
PATENT APPLICATION (37 CFR 1.63)		Applica	tion Number				
X Declaration	Declaration	Filing D	ate				
Submitted with Initial	Submitted after Initial		Group /	Art Unit			
Filing	Filing		Examin	er Name			
My residence, mailing address, I believe I am the original, first a (if plural names are listed below invention entitled: ISOLATION COTTON (filed as International attached hereto. I hereby state that I have review claims, as amended by any am I acknowledge the duty to discle for continuation-in-part applicat application and the national or I hereby claim foreign priority b inventor's certificate, or 365(a) the United States of America. Ii	As a below named inventor, I hereby declare that: My residence, mailing address, and citizenship are as stated below next to name. believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the nvention entitled: ISOLATION AND CHARACTERIZATION OF A FIBER-SPECIFIC ACTIN PROMOTER FROM COTTON (filed as International Application No. PCT/SG00/00112 on August 1, 2000), the specification of which is						
Prior Foreign Application Numbers	Çountry	Foreign F (MM/DD	iling Date	Priority Not Claimed	Certified Co YES	py Attached? NO	
I hereby claim the benefit unde	er 35 U.S.C. 1	19(e) of an	y United Sta	ates provisiona	l application(s) l	isted below.	
Application Nur					(MM/DD/YYYY	1	
						-	

I or we hereby appoint the registered practitioner(s) associated with Customer No. **6449** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Direct all correspondence to Customer Number **6449**.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR: [] A petition has been filed for this unsigned inventor				
Given Name Xuebao (first and middle [if any])		Family Name LI or Surname		
Inventor's Signature		Date		
Residence: City	State	Country Singapore	Citizenship China	
Mailing Address West Coast Crescent, #04-	04, Westbay Condomini	um, Singapore 128035	// 117 7.07	
Mailing Address			P	
City	State	Zip	Country Singapore	
NAME OF SECOND INVENTOR:	[] A petition ha	as been filed for this uns	signed inventor	
Given Name Lin (first and middle [if any])		Family Name CAI or Surname		
Inventor's Signature		Date		
Residence: City	State	Country Singapore	Citizenship China	
Mailing Address Block 315, #03-137, Cleme	enti Avenue 4, Singapore	e 120315	·	
Mailing Address				
City	State	Zip	Country Singapore	
NAME OF THIRD INVENTOR:	[] A petition h	nas been filed for this un	signed inventor	
Given Name <u>Ninghui</u> (first and middle [if any])		Family Name <u>CHENG</u> or Surname	<u>G</u>	
Inventor's Signature	2	l '	102	
Residence: City Ardmore Houston nhc	State Oklahoma TX	Country U.S.A.	Citizenship China	
Mailing Address 217 B Street, S.W., Ardmo	re, Oklahoma 73401			
Mailing Address 7490 Brompton R		he se	h<	
City Ardmore Howston nhu	State Oklahoma	Zip 73401 77025	Country U.S.A.	
NAME OF FOURTH INVENTOR:	[] A petition	has been filed for this u	nsigned inventor	
Given Name Jian-Wei (first and middle [if any])		Family Name LIU or Surname		
Inventor's Signature		Date	·	
Residence: City	State	Country Singapore	Citizenship Singapore	
Mailing Address 8 Toh Yi Drive, #03-299, S	Singapore 590008			
Mailing Address				
City	State	Zip	Country Singapore	

			Attorney Docket No.	2577-139
		ID DOWER OF	First Named Inventor	Xuebao Li et al.
ATTOP	MEY FOR UT	ID POWER OF LITY OR DESIGN	COMPLE	TE IF KNOWN
PATENT APPLICATION			Application Number	
(37 CFR 1.63)	Filing Date			
Sub	— cubmitted Supmice	Submitted	Group Art Unit	
with Initial after Initial Filing	Examiner Name	'		

As a below named inventor, I hereby declare that

My residence, mailing address, and citizenship are as stated below next to name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (If plural names are listed below) of the subject matter which is claimed and for which a patent is cought on the invention entitled ISOLATION AND CHARACTERIZATION OF A FIBER-SPECIFIC ACTIN PROMOTER FROM COTTON (filed as International Application No. PCT/SG00/00112 on August 1, 2000), the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT International filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inercoy claus roreign priority perioris under 33 0.3.0. Tracar-(ii) or 300(b) or any toreign application (s) for patent of inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application	Country	Foreign Filing Date (MW/DD/YYYY)	Priority Not Claimed	Certified Cor YES	ny Attached? NO
Numbers		(MANUEZ)	8	日	
hereby daim the banefit und	er 35 U.S.C.	119(e) of any United S	tates provisional Filing Date (application(s)	isted below.
Application Nu	MINDER (U)				cute this appli

I or we hereby appoint the registered practitioner(s) associated with Customer No. 6449 to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Direct all correspondence to Customer Number 6449.

hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under 16 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Declaration and Power of Attorney Page 1

NAME OF SOLE OR FIRST INVENTOR:	[] A petition	has been filed for this ur	rsigned inventor
Given Name Xuebao (first and middle (if any))		Family Name LI or Surname	
Inventor's Signature	,	Date	
Residence: City	State	Country Singapore	Citizenship China
Mailing Address West Coast Crescent, #04-0	04, Westbay Condomini	um, Singapore 128035	
Mailing Address			
City	State	Zip	Country Singapore
NAME OF SECOND INVENTOR:	[] A petition ha	as been filed for this uns	signed Inventor
Given Name Lin (first and middle [if any])		Family Name CAI or Surname	
Inventor's Signature		Date	
Residence: City	State	Country Singapore	Citizenship China
Mailing Address Block 315, #03-137, Cleme	nti Avenue 4, Singapore	120315	
Mailing Address			
City	State	Zip	Country Singapore
NAME OF THIRD INVENTOR:	[] A petition h	as been filed for this un:	signed inventor
Given Name Ninghuí (first and middle [if any])		Family Name CHENC or Surname	6
Inventor's Signature		Date	
Residence: City Ardmore	State Oklahoma	Country U.S.A.	Citizenship China
Mailing Address 217 B Street, S.W., Ardmon	e, Oklahoma 73401		
Mailing Address			
City Ardmore	State Oklahoma	Zip 73401	Country U.S.A.
NAME OF FOURTH INVENTOR:	[] A petition I	nas been filed for this un	signed inventor
Given Name Jian-Wei (first and middle [if any])		Family Name_ <u>LIU</u> or Sumame	
Inventor's Signature		Date 02/00	4/2002
Residence: City Singapore	SGK)	Country Singapore	Citizenship Singapore
Mailing Address 8 Toh Yi Drive, #03-299, Sir	ngapore 590008		į
Mailing Address			
City	State	Zlp	Country Singapore

4-0X

```
<110> Li, X. B.
      Cai, L.
      Chen, N. H.
      Liu, J. W.
<120> Isolation and Characterization of a Fiber-Specific
      Actin Promoter from Cotton
<130> 2577-139
<140>
<141>
<160> 2
<170> PatentIn Ver. 2.1
<210> 1
<211> 685
<212> DNA
<213> Arabidopsis sp.
<400> 1
ctggagctcg cgcgcctgca ggtcgacact agtggatcca aagtaattcg gcacgagggg 60
tttctcacac cgtgccaatc tatgaaggat atgcccttcc acatgccatc ctccgtcttg 120
accttgcagg tcgtgatcta accgatgcct tgatgaaaat tcttaccgag agaggttaca 180
tgttcaccac cactgctgaa cgggaaattg tccgtgacat gaaggagaag cttgcttatg 240
tigccctgga ctatgagcag gaactggaga ctgcgaagag cagctcatct gttgagaaaa 300
actatgagtt gcctgacgga caagtcatta ctattggagc tgagagattc cgttgcccgg 360
aagteetett eeageeatet tteateggga tggaagetge tggaateeat gaaactacet 420
acaactctat catgaagtgt gatgtggata tcaggaagga tctctacggt aacattgtgc 480
tcagtggggg ttcaaccatg ttccctggta ttgcagaccg catgagcaag gagatcactg 540
cacttgctcc aagcagcatg aagattaaag tcgttgcccc accagaaaaa aaaatacagt 600
qtctggattg gaaggatcta tcttggcatc actccacacc ttccaacaaa tgtggatttc 660
ccagggtgaa tttgatgaat ccggc
                                                                   685
```

```
<210> 2
<211> 3041
<212> DNA
<213> Arabidopsis sp.
```

<400> 2

actatagggc acgcgtggtc gacggcccgg gctggtcctc taaagaacaa ttgtgtcaag 60 tcgttcttgc cgagcaaatc cgaataggag cttagagtaa catctaacag acggactgct 120 ccagcattaa ctgtttggtg aaaatgttaa tggtagtgct atgtcgaagt attttcatgg 180 aaggtgttaa gaattaatgt tattgggatt actaatttct agtattaatt gtggtttgga 240 agttaatata taattattca atccttgttt tttatttttt ttttataaca caattacaaa 300 taatttattt aactttggtt gttttcaatt tatgacggtt aatattttag tttaataatt 360 qaqcattatt atatattaaa taaataaatc attgtaatat atgtaaaaat aatttaaaat 420 ataaatttat taatatata aataaactca atcaaacaat aaaaagataa taaattctta 480 aatatataaa ttttttaaaa tagcttttca gtaaatctgt caaacaatag aaaatatttt 540 ttgcaggttc atccaaacac cagaaaagta aatcattttc agaaaagtaa atcattttc 600 agaaattatt tttcggaaat tattttactg gcaaacaaat ggagtctaag tgtttctgtt 660 tttatttttt atttttctat ttagagaaac tagaaattga tttgtcaaat gtctttaatc 720 tagcttgttt agattagttg aagggcacag aacccgcgtt gtcaagtgat tttgctgtac 780 tcactaccta gattcttatt ttcagtattg taaaagatgg ccgacggtga ggctattcaa 840 cccctcgtct gtgataatgg aactggaatg gtgaaggtta gttattttt agaccaaagc 900 aaacctgaca cctagctttt agacttggac aaggataaaa tctgtttaag tgggcttagc 960 gatataatag atacatatat aatactataa tttaaacatt aattttctaa atcaatggta 1080 aggcatattg cactcaagag aggagacata gatttagacc ttggaaacga cattgttggg 1140 aaaggtatct ataatccatg aacaaggacc ataaacatgg acatgaagaa tacccaaaaa 1200 aaatatattt taagaaatag aaaatactat tggtagattt gggtaaaata tgagatcata 1260 ttatggacta agccgagctt gggcacataa gaattatgat gatatcatac acaaacctgg 1320 ccggtctatg aacacttcta gacctgagtc ataatctcgg ttattgttta tttctttatg 1380 aaaagtaact tatggttaag ctaattttgt ctgtaatgta ggccggtttt gctggtgatg 1440 atgctccaag ggcagttttt cccagtatcg ttggtcgtcc ccggcacact ggtgttatgg 1500 ttgggatggg tcagaaggat gcctatgtag gagatgaagc acaatctaaa ggaggtatcc 1560 ttactttgaa atatcctatt gagcatggta ttgtgagcaa ttgggatgat atggaaaaga 1620 tetggcatea tacattetae aacgaactee gtgttgttee tgaggagete eetgtgetae 1680 tcacggaagc acctctcaac cccaaggcca atagagaaaa gaagactcag atcatgtttg 1740 agaccttcaa tgtacctgct atgtatgttg ccatccaggc cgttctctct ctgtatgcca 1800 gtggtcgtac aacaggtttg ttagacttga aacttctatg agcttttctc attttaatga 1860 tattttcgaa tcatgttgac actggattat ccctctattg gaacaggtat tgtgctggat 1920 teeggtgatg gtgtttetea categtgeea atetatgaag gatatgeeet teeacatgee 1980 atcctccgtc ttgaccttgc aggtcgtgat ctaaccgatg ccttgatgaa gattcttacc 2040 gagagaggtt acatgttcac caccactgct gaacgggaaa ttgtccgtca catgaaagag 2100 aagcttgctt atgttgccct ggactatgag caggagctgg agactgccaa gagcagctca 2160 tctgttgaga agaactatga gttgcctgac ggacaagtta ttactattga agctgagaga 2220 ttccgttgcc cggaagtcct cttccagcca tctttcatcg ggatggaagc tgctggaatc 2280 catgaaacta cctacaactc tatcatgaag tgtgatgtgg atatcaggaa ggatctctac 2340 ggtaacattg tgctcagtgg gggttcaacc catgttcccc ggtattgcag accgcatgag 2400 caaggagatc actgcacttg ctccaagcag catgaagatt aaggtcgttg cgccaccaga 2460 gagaaagtac agtgtctgga ttggaggatc tatcttggca tcactcagca ccttccagca 2520 ggtaaatata tattttata tttggctcta cttcttttgt ttgatggttg tccgacactg 2580 acgttcttgc tttacagatg tggatttcca agggtgagta tgatgaatcc ggtccatcca 2640 ttgtccacag gaagtgcttc taagttttgt aattgctttt gatggtgatc tacattttgc 2700 atttagttgg ctcttttttg gcgtgccgtg tcaagtgaac tcaaaagtct ggtttatgtg 2760 cgggaagtta gggatcattg taggatggtg tacctgatat tgacgtatta ttattttagc 2820 ctttcaccgt atcaccacca ttaagctgat gggccctaag gagatggcgg tggacggaca 2880 attggtgctt aattecttee etacaateea tetttgaace atgetgetta aaaggatgtt 2940 tggagcggga gactggattg tggtgctttt attttttat ttatttaata ttcaagggtt 3000 ttgagaacat taatgttaat agctattatt gtacgagatt t 3041

United States Patent & Trademark Office Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

Page(s) of were not present for scanning.

Document title)

Page(s) of were not present for scanning.

Scanned copy is best available.

Lines are in parts of declaration Sheets.